

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
3 April 2003 (03.04.2003)

PCT

(10) International Publication Number  
**WO 03/026754 A1**

(51) International Patent Classification<sup>7</sup>: **A63F 5/00**,  
G07F 17/32

(21) International Application Number: PCT/IB02/03859

(22) International Filing Date:  
19 September 2002 (19.09.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
0122798.2 21 September 2001 (21.09.2001) GB

(71) Applicant (for all designated States except US): **WATER-LEAF LIMITED** [GB/GB]; Victoria House, 26 Victoria Street, Douglas, Isle of Man, IM1 2LE (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**


— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(72) Inventor; and  
(75) Inventor/Applicant (for US only): **MOSHAL, Martin** [ZA/GB]; c/o 69 Athol Street, Douglas, Isle of Man, IM1 1JE (GB).

(74) Agent: **JOHN & KERNICK**; P.O. Box 3511, Halfway House, 1685 Midrand (ZA).

(54) Title: **GAMING APPARATUS AND METHOD**



(57) Abstract: A gaming apparatus comprises a server and a client computer, each operating under stored program control and in communication with each other by means of a communication network. The client computer is usable by a player to place a wager on an outcome of a particular spin of a roulette wheel, as well as a side wager on a combined outcome of the particular spin of the roulette wheel and one or more immediately preceding spins of the wheel. A portion of each side wager is accumulated in a pooled jackpot. Once the wagers have been placed, the gaming server randomly selects the outcome of the particular spin of the roulette wheel, and evaluates the success, or otherwise, of the side wager. The side wager is successful if the outcomes of the particular spin of the roulette wheel, and the immediately preceding spins are identical. The outcome of the particular spin of the roulette wheel and the success, or otherwise, of the side wager are transmitted by the gaming server along the communication network to the client computer for display to the player. A successful side wager wins for the player the accumulated contents of the pooled jackpot.



**WO 03/026754 A1**

## GAMING APPARATUS AND METHOD

5

### FIELD OF THE INVENTION

This invention relates to a gaming apparatus, more particularly to an apparatus for playing a game of chance and, more specifically, to an apparatus for playing a variation of a game of roulette. The invention extends to a method for gaming.

### BACKGROUND TO THE INVENTION

15 The game of roulette is well known and widely played in most land-based and online casinos.

At the simplest level, in a conventional game of roulette, a player may place a wager associated with any one or more of 37 locations on a playing surface. A number in the range 0 to 36 uniquely identifies each location on the playing surface, and each location has a corresponding colour that is red, black or green. The outcome of the game is determined by a spin of the ball against a rotating roulette wheel having 37 positions in which the ball may come to rest, each position being uniquely identified by a number in the range 0 to 36, respectively.

25 This version of the game is known in the art as "European" roulette.

A variant of the roulette game described above is known as "American" roulette and is one in which the playing surface has 38 locations, each identified uniquely by a number 0 to 36, as well as the "number" 00.

30

In the description that follows, the invention will be described with reference to the European version of the roulette game. It is to be clearly understood, however, that the invention is also applicable to the American version of the game.

5

If the ball comes to rest in a position corresponding to a location on the playing surface on which the player has placed a wager, the player is paid an amount of 35 times the size of the wager. All other wagers on the playing surface are forfeited to an operator of the roulette game.

10

Additional types of wagers are allowed on the playing surface, such as a wager on either one of two, three, four or six adjacent locations, a wager on any one of locations 1 to 12, 13 to 24, or 25 to 36, a wager on any one of the numbers in any column arrangement on the playing surface, a wager on any even or any odd number, a wager on any red location or any black location, or a wager on any one of the locations 1 to 18, or 19 to 36. The payout on successful wagers of these types is determined to give an appropriate advantage to the operator of the roulette game.

15

20 A disadvantage of the game of conventional roulette, as described above, is that the outcome of any particular wager is determined by a single spin of the roulette wheel, which can cause the player's interest in the game to wane rapidly.

## 25 OBJECT OF THE INVENTION

It is an object of this invention to provide an gaming apparatus and a method for gaming that will, at least partially, alleviate the above-mentioned disadvantage by retaining the player's interest in the game over a number of successive turns of the game.

30

**SUMMARY OF THE INVENTION**

In accordance with this invention there is provided a method for playing a game  
5 of chance, which includes the steps of:  
placing a wager on an outcome of a particular spin of a roulette wheel; and  
placing a corresponding side wager on a combined outcome of the particular  
spin of the roulette wheel and at least one other spin of the roulette wheel.

10 Further features of the invention provide for placing the side wager on a  
combined outcome of the particular spin of the roulette wheel and a plurality of  
other spins of the roulette wheel.

Still further features of the invention provide for the at least one other spin of the  
15 roulette wheel to be a preceding spin of the roulette wheel, for the particular spin  
of the roulette wheel and the at least one preceding spin of the roulette wheel to  
be consecutive spins of the wheel, for the plurality of other spins of the roulette  
wheel to be a plurality of preceding spins of the roulette wheel, and for the  
particular spin of the roulette wheel and the plurality of preceding spins of the  
20 roulette wheel to all be consecutive spins of the wheel.

Yet further features of the invention provide for accumulating a portion, preferably  
at least 1 percent, of each side wager in a pooled jackpot, for providing that the  
pooled jackpot exceeds a predetermined minimum amount at all times, and for  
25 incrementing the pooled jackpot at a predetermined rate even when no wagers  
are placed on an outcome of a spin of the roulette wheel.

There is further provided for the side wager to be successful if a same outcome  
occurs on the particular spin of the roulette wheel and an immediately preceding  
30 spin of the roulette wheel, for paying such a successful side wager an amount of  
15 times the size of the side wager, for the side wager to also be successful if a

same outcome occurs on the particular spin of the roulette wheel and the immediately preceding two spins of the roulette wheel, for paying such a successful side wager an amount of 200 times the size of the side wager, for the side wager to also be successful if a same outcome occurs on the particular spin  
5 of the roulette wheel and the immediately preceding three spins of the roulette wheel, for paying such a successful side wager an amount of 3000 times the size of the side wager, for the side wager to also be successful if a same outcome occurs on the particular spin of the roulette wheel and the immediately preceding four spins of the roulette wheel, and for paying such a successful side wager an  
10 accumulated amount in the pooled jackpot.

The invention extends to a method of operating a gaming server, comprising the steps of:

randomly selecting an outcome of a particular spin of a roulette wheel;  
15 transmitting, along a communication network, a signal containing data representative of the outcome of the particular spin of the roulette wheel; and evaluating the success of a side wager placed by a player as a function of the outcome of the particular spin of the roulette wheel and at least one other spin of the roulette wheel.

20

There is also provided for the method to include the further step of accumulating a portion of the side wager in a pooled jackpot, for the success of the side wager to be evaluated as a function of the outcomes of the particular spin of the roulette wheel and a plurality of other spins of the roulette wheel.

25

There is also provided for the side wager to be successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding spin of the roulette wheel, for the successful side wager to be paid an amount of 15 times the size of the side wager, for side wager is successful if a same outcome occurs  
30 on the particular spin of the roulette wheel and the preceding two spins of the roulette wheel, for the successful side wager to be paid an amount of 200 times

the size of the side wager, for the side wager to be successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding three spins of the roulette wheel, for the successful side wager to be paid an amount of 3000 times the size of the side wager, for the side wager to be successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding four spins of the roulette wheel, and for the successful side wager to be paid the accumulated amount in the pooled jackpot.

The invention extends further to a method operating a client computer, comprising steps of:

- enabling a player to place a wager on an outcome of a particular spin of a roulette wheel;
- enabling the player to place a corresponding side wager on a combined outcome of the particular spin of the roulette wheel and at least one other spin of the roulette wheel;
- transmitting, along a communication network, a request to a gaming server, to randomly select an outcome of the particular spin of the roulette wheel;
- receiving, along the communication network, a response from the gaming server containing data representative of the outcome of the particular spin of the roulette wheel and the success of the side wager;
- and
- displaying the outcome of the particular spin of the roulette wheel and the success of the side wager as part of a simulation of a game of roulette.

The invention extends still further to a system for playing a game of chance, comprising:

- means for placing a wager on an outcome of a particular spin of a roulette wheel;
- and
- means for placing a corresponding side wager on a combined outcome of the particular spin of the roulette wheel and at least one other spin of the roulette wheel.

There is further provided for the side wager to be on a combined outcome of the particular spin of the roulette wheel and a plurality of other spins of the roulette wheel.

5

There is still further provided for the at least one other spin of the roulette wheel to be a preceding spin of the roulette wheel, for the particular spin of the roulette wheel and the at least one preceding spin of the roulette wheel to be consecutive spins of the wheel, for the plurality of other spins of the roulette wheel to be a plurality of preceding spins of the roulette wheel, and for the particular spin of the roulette wheel and the plurality of preceding spins of the roulette wheel to all be consecutive spins of the wheel.

10

There is yet further provided for the system to include a pooled jackpot, for the pooled jackpot to accumulate a portion, preferably at least 1 percent, of each side wager, for the pooled jackpot to exceed a predetermined minimum amount at all times, and for the pooled jackpot to increment at a predetermined rate even when no wagers are placed on an outcome of a spin of a roulette wheel.

15

There is further provided for the side wager to be successful if a same outcome occurs on the particular spin of the roulette wheel and the immediately preceding spin of the roulette wheel, for such a successful side wager to pay an amount of 15 times the size of the side wager, for the side wager to also be successful if a same outcome occurs on the particular spin of the roulette wheel and the immediately preceding two spins of the roulette wheel, for such a successful side wager to pay an amount of 200 times the size of the side wager, for the side wager to also be successful if a same outcome occurs on the particular spin of the roulette wheel and the immediately preceding three spins of the roulette wheel, for such a successful side wager to pay an amount of 3000 times the size of the side wager, and for the side wager to also be successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding

20

25

30

four spins of the roulette wheel, and for such a successful wager to pay the accumulated amount in the pooled jackpot.

The invention extends yet further to a computer generated message containing  
5 data representative of an outcome of a particular spin of a roulette wheel and the success or failure of a side wager on a combined outcome of the particular spin of the roulette wheel and at least one other spin of the roulette wheel.

#### 10 **BRIEF DESCRIPTION OF THE DRAWINGS**

A preferred embodiment of the invention is described below, by way of example only, and with reference to the accompanying drawings, in which:

- 15 Figure 1 is a functional representation of a gaming apparatus, according to the invention.

#### **DETAILED DESCRIPTION OF THE INVENTION**

20

- An embodiment of a gaming apparatus for playing a game includes means for placing a wager on an outcome of a next spin of a roulette wheel. The means for placing the wager is in the form of a playing surface having 37 locations demarcated thereon. The arrangement of the demarcated locations on the  
25 playing surface is the same as that of a conventional roulette table. A number in the range 0 to 36 and a corresponding colour that is red, black or green identifies each one of the playing locations on the playing surface. A location on the playing surface identified by the number 0 is green, whilst half of the remaining locations are red in colour, the others being black. The gaming apparatus  
30 includes, further, a rotatable roulette wheel and a ball. The outcome of the game is determined by a spin of the ball against the rotating roulette wheel, which has



37 positions in which the ball may come to rest at random, each position being uniquely identified by a number in the range 0 to 36, respectively.

5 A player may place any wager on the playing surface that is allowed in a conventional game of roulette. There are many such wagers, which are well known in the art, and which will not be described here in detail. The success, or otherwise of a conventional wager is determined by the outcome of the spin of the wheel.

10 The playing surface includes means for placing a corresponding side wager on the game of chance, in the form of a demarcated location for placing the side wager thereon, as will be described in detail in the description that follows.

15 In order to use the gaming apparatus, a player is required to place one or more conventional wagers on the playing surface. The player is also required to place a side wager in the location on the playing surface for this purpose. Failure by the player to make the side wager will exclude the player from participation in the game.

20 A portion consisting of at least 1% of the amount of each side wager is accumulated in a pooled jackpot, the running total of which is displayed to the player. The pooled jackpot exceeds a minimum amount, in this embodiment 5 001 currency units, at all times. The pooled jackpot also accumulates at a predetermined base rate of 0,001 currency units per second even when no player is playing the game.

30 Once the player has placed his chosen conventional wagers, as desired, and the side wager, as required, the roulette wheel is spun until the ball comes to rest in one of the 37 locations thereon. The outcome of the conventional wagers is determined according to the rules of a conventional game of roulette, while the outcome of the side wager is determined as follows:

1. the side wager will be successful if the number occurring on the spin of the roulette wheel is the same as the number which occurred on the preceding spin of the roulette wheel. In such an instance, the successful wager is paid  
5 an amount of 15 times the size of the side wager;
2. the side wager will also be successful if the number occurring on the spin of the roulette wheel is the same as the number which occurred on each of the preceding two spins of the roulette wheel. In such an instance, the successful  
10 wager is paid an amount of 200 times the size of the side wage;
3. the side wager will also be successful if the number occurring on the spin of the roulette wheel is the same as the number which occurred on each of the preceding three spins of the roulette wheel. In such an instance, the  
15 successful wager is paid an amount of 3000 times the size of the side wager;
4. the side wager will also be successful if the number occurring on the spin of the roulette wheel is the same as the number which occurred on each of the preceding four spins of the roulette wheel. In such an instance, the successful  
20 wager is paid an accumulated amount of the pooled jackpot.

It will be appreciated by those skilled in the art that the side wager made by the player in the manner described above is, in fact, a wager that an unbroken progression of the same number will occur on successive spins of the roulette  
25 wheel. It is therefore also necessary to display to the player the outcome of previous spins of the roulette wheel on a history palette in order to assist the player in determining an appropriate time to enter or to leave the game. The outcome of the side wager is thus dependent on more than a single spin of the roulette wheel and it is anticipated that the side wager, together with the pooled  
30 jackpot, will help to sustain the player's interest in the game over a period of time.

The invention may be embodied either as a table game, as described above, or as an online game, as described below in a further embodiment of the invention, with reference to Figure 1 of the drawings.

- 5 In this embodiment, a gaming apparatus is indicated generally by reference numeral (1). The system (1) comprises a gaming server (2) and a player terminal (3) in the form of a computer workstation with an associated display monitor (4) and a pointing device (5) such as a mouse or a touchpad. The computer workstation (3) is located remotely from the gaming server (2) and is connected  
10 thereto by means of a communication network (6) that is, in this embodiment, the World Wide Web of the Internet.

- The computer workstation (3) is a conventional personal computer operating under a Windows 2000 operating system, which is well known and commercially  
15 available from Microsoft Corporation of Seattle, Washington, USA. The computer workstation (3) executes a stored simulation software program that simulates the progress of a variation of a game of roulette. The operation of the simulation program will be described in more detail in the description that follows.

- 20 The gaming server (2) includes a computer program for generating random events that determine the progress of the variation of the game of roulette. In particular, the random event generation program is executable on the on the gaming server (2) to select, on a random basis, a number between 0 and 36, which corresponds to the ball coming to rest at random in one of 37 positions on  
25 the roulette wheel after being spun against the rotating wheel. The operation of such a random event generation programs is well known in the art and will not be described here in detail.

- A player wishing to use the gaming apparatus (1) is first required to register and  
30 to create an account on the gaming server (2). The player is then required to pre-fund the account by purchasing credit that will, for convenience, be denominated

in this description in "units". The gaming server (2) stores a credit balance corresponding to the player's account at all times.

5 In order to commence, the player uses the computer workstation (3) to log onto the gaming server (2) and initiates execution of the simulation program, which causes a playing surface similar to that of a conventional roulette table to be displayed on the monitor (4). The player now enters a betting phase of the game by making one or more wagers on the playing surface. The player may make any  
10 wager that is permitted in a conventional game of roulette. The sizes of the players various wagers are displayed on the playing surface. There must be sufficient credit in the player's account to cover any wager that is made. Data relating to the type and size of each such conventional wager made by the player is transmitted by the computer workstation (3) across the communication network  
15 (6) to the gaming server (2) for storage on an associated storage device (not shown).

The layout of the playing surface includes a bet placement icon that can be used by the player to place a corresponding side wager on the turn of the game. The side, which is of a fixed size, is compulsory and the game may not proceed until  
20 the player has made the side wager. As is the case with conventional wagers, data relating to the side wager made by the player is transmitted by the computer workstation (3) across the communication network (6) to the gaming server (2) for storage. The gaming server (2) accumulates 1% of the amount of each side wager in a pooled jackpot, a running total of which is maintained by the gaming  
25 server for display to the player. The pooled jackpot exceeds a minimum amount of 5001 units at all times, at all times. The pooled jackpot also accumulates at a predetermined base rate of 0,001 currency units per second even when no player is playing the game.

30 The simulation program on the computer workstation also causes a "Spin" icon to be displayed on the display monitor (4) that, when activated by the player by

means of the pointing device (5), begins a playing phase of the game in which a number between 0 and 36 is randomly selected by the gaming server (2) and displayed by the simulation program on the display monitor (4). Activation of the "Spin" icon by the player causes a message to be transmitted to the gaming server (2) across the communication network (6), which causes the execution of the event generation program on the gaming server to randomly select a number between 0 and 36. The gaming server (2) transmits the randomly selected number across the communication network (6) back to the computer workstation (3) where the simulation program highlights the selected number on the displayed playing surface. The simulation program also displays, on the display monitor (4) a history palette in the form of a scrolling window that displays the randomly selected numbers in the most recent four turns of the game.

The gaming server (2) settles the player's conventional wagers and the side wager as a function of the randomly selected number as described above and the stored data relating to the conventional and side wagers made by the player. The wagers that are determined as being winning wagers are highlighted on the display monitor (4).

The gaming server (2) transmits the player's credit account balance across the communication network (6) to the computer workstation (3) from time to time. The simulation program displays this balance to the player in real time on the display monitor (4) to indicate a quantity of credit that is available to the player for playing the game. The credit balance is adjusted with each turn of the game in accordance with wagers placed and won or lost by the player.

Once the player's conventional and side wagers have been settled as described above, the turn of the game is complete and the player may begin a further turn of the game by making one or more other conventional wagers and a corresponding side wager.

It will be further appreciated by those skilled in the art that multiple computer workstations (3) can be linked to the gaming server (2) by means of the communication network (6), allowing multiple players to utilize the system (1) simultaneously and to be served by the gaming server. The gaming server (2) then accumulates 1% of the amount of the side wager of any one of the multiple players in a single common pooled jackpot. The common pooled jackpot will thus grow at a rate proportional to the number of simultaneous players and is anticipated to grow rapidly, thus becoming more attractive to potential players.

10 Numerous modifications are possible to this embodiment without departing from the scope of the invention. In particular, the amounts paid to the player in respect of a successful side wager may be different to those illustrated above, in order to make the game more attractive to the player. Further, the game may be played according to rules that the progression of the same number may not need to be  
15 unbroken in order for the side wager to be successful. For example, it may be sufficient for the same number to occur 2, 3, 4 or 5 times on the next subsequent spin of the roulette wheel and any of the immediately preceding four spins of the roulette wheel. Still further, the success of the side wager may be dependent on the combined outcome of the next, and subsequent, spins of the roulette wheel  
20 or, alternatively, may be dependent on the combined outcome of the next spin of the roulette wheel and the outcome of both preceding and subsequent spins of the roulette wheel. Yet further, the pooled jackpot may accumulate from side wagers placed on a plurality of different roulette games being played simultaneously.

25 The technical problem solved by this invention is that of transforming a game of conventional roulette into a progressive game and, further, to enabling multiple players of the game to simultaneously contribute to, and to compete for, a single progressive jackpot associated with a game of conventional roulette.

30

The invention therefore provides a novel variation of a conventional game of roulette that will enhance and extend a player's interest in the game.

**CLAIMS**

- 5        1. A method for gaming, which includes the steps of:  
placing a wager on an outcome of a particular spin of a roulette wheel; and  
placing a corresponding side wager on a combined outcome of the  
particular spin of the roulette wheel and at least one other spin of the  
roulette wheel.
- 10       2. A method as claimed in claim 1 in which the side wager is placed on a  
combined outcome of the particular spin of the roulette wheel and a  
plurality of other spins of the roulette wheel.
- 15       3. A method as claimed in claim 1 in which the at least one other spin of the  
roulette wheel is a preceding spin of the roulette wheel.
- 20       4. A method as claimed in claim 3 in which the particular spin of the roulette  
wheel and the preceding spin of the roulette wheel are consecutive spins  
of the roulette wheel.
- 25       5. A method as claimed in claim 2 in which the plurality of other spins of the  
roulette wheel is a plurality of preceding spins of the roulette wheel.
- 30       6. A method as claimed in claim 5 in which the particular spin of the roulette  
wheel and the plurality of preceding spins of the roulette wheel are all  
consecutive spins of the roulette wheel.
7. A method as claimed in any one of the preceding claims that includes the  
step of accumulating a portion of each side wager in a pooled jackpot.



8. A method as claimed in claim 7 in which the portion of each side wager that is accumulated in the pooled jackpot is about 1 percent.
- 5 9. A method as claimed in either one of claims 7 or 8 which includes the additional step of providing that the pooled jackpot exceeds a predetermined minimum amount at all times.
- 10 10. A method as claimed in any one of claims 7 to 9 in which the pooled jackpot is incremented at a predetermined rate even when no wagers are placed on an outcome of a spin of a roulette wheel.
- 15 11. A method as claimed in any one of the preceding claims in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding spin of the roulette wheel.
- 20 12. A method as claimed in claim 11 in which the successful side wager is paid an amount of 15 times the size of the side wager.
- 25 13. A method as claimed in any one of the preceding claims in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding two spins of the roulette wheel.
- 30 14. A method as claimed in claim 13 in which the successful side wager is paid an amount of 200 times the size of the side wager.
15. A method as claimed in any one of the preceding claims in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding three spins of the roulette wheel.
16. A method as claimed in claim 15 in which the successful side wager is paid an amount of 3000 times the size of the side wager.

- 5 17. A method as claimed in any one of the preceding claims in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding four spins of the roulette wheel.
18. A method as claimed in claim 17 in which the successful side wager is paid the accumulated amount in the pooled jackpot.
- 10 19. A method of operating a gaming server, comprising the steps of:  
randomly selecting an outcome of a particular spin of a roulette wheel;  
transmitting, along a communication network, a signal containing data  
representative of the outcome of the particular spin of the roulette wheel;  
and  
15 evaluating the success of a side wager placed by a player as a function of  
the outcome of the particular spin of the roulette wheel and at least one  
other spin of the roulette wheel.
20. A method as claimed in claim 19 that includes the further step of  
20 accumulating a portion of the side wager in a pooled jackpot
21. A method as claimed in claim 20 in which the success of the side wager is  
evaluated as a function of the outcomes of the particular spin of the  
roulette wheel and a plurality of other spins of the roulette wheel.
- 25 22. A method as claimed in either one of claims 19 or 20 in which the side  
wager is successful if a same outcome occurs on the particular spin of the  
roulette wheel and the preceding spin of the roulette wheel.
- 30 23. A method as claimed in claim 22 in which in which the successful side  
wager is paid an amount of 15 times the size of the side wager.

24. A method as claimed in any one of claims 19 to 22 in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding two spins of the roulette wheel.
- 5 25. A method as claimed in claim 24 in which the successful side wager is paid an amount of 200 times the size of the side wager.
26. A method as claimed in any one of claims 19 to 22 in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding three spins of the roulette wheel.
- 10 27. A method as claimed in claim 26 in which the successful side wager is paid an amount of 3000 times the size of the side wager.
- 15 28. A method as claimed in any one of claims 19 to 22 in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding four spins of the roulette wheel.
29. A method as claimed in claim 28 in which the successful side wager is paid the accumulated amount in the pooled jackpot.
- 20 30. A method of operating a client computer, comprising the steps of:  
enabling a player to place a wager on an outcome of a particular spin of a roulette wheel;  
25 enabling the player to place a corresponding side wager on a combined outcome of the particular spin of the roulette wheel and at least one other spin of the roulette wheel;  
transmitting, along a communication network, a request to a gaming server, to randomly select an outcome of the particular spin of the roulette wheel;  
30 receiving, along the communication network, a response from the gaming

server containing data representative of the outcome of the particular spin of the roulette wheel and the success of the side wager; and displaying the outcome of the particular spin of the roulette wheel and the success of the side wager as part of a simulation of a game of roulette.

5

31. A gaming apparatus, comprising:

means for placing a wager on an outcome of a particular spin of a roulette wheel; and

10

means for placing a corresponding side wager on a combined outcome of the particular spin of the roulette wheel and at least one other spin of the roulette wheel.

15

32. A gaming apparatus as claimed in claim 31 in which the side wager is placed on a combined outcome of the particular spin of the roulette wheel and a plurality of other spins of the roulette wheel.

33. A gaming apparatus as claimed in claim 31 in which the at least one other spin of the roulette wheel is a preceding spin of the roulette wheel.

20

34. A gaming apparatus as claimed in claim 33 in which the particular spin of the roulette wheel and the preceding spin of the roulette wheel are consecutive spins of the roulette wheel.

25

35. A gaming apparatus as claimed in claim 32 in which the plurality of other spins of the roulette wheel is a plurality of preceding spins of the roulette wheel.

30

36. A gaming apparatus as claimed in claim 35 in which the particular spin of the roulette wheel and the plurality of preceding spins of the roulette wheel are all consecutive spins of the wheel.


37. A gaming apparatus as claimed in any one of claims 31 to 36 in which a portion of each side wager is accumulated in a pooled jackpot.
38. A gaming apparatus as claimed in claim 37 in which the portion of each side wager that is accumulated in the pooled jackpot is about 1 percent.
39. A gaming apparatus as claimed in either one of claims 37 and 38 in which the pooled jackpot exceeds a predetermined minimum amount at all times.
40. A gaming apparatus as claimed in any one of claims 37 to 39 in which the pooled jackpot increments at a predetermined rate even when no wagers are placed on an outcome of a spin of a roulette wheel.
41. A gaming apparatus as claimed in any one of claims 31 to 40 in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding spin of the roulette wheel.
42. A gaming apparatus as claimed in claim 41 in which the successful side wager is paid an amount of 15 times the size of the side wager.
43. A gaming apparatus as claimed in any one of claims 31 to 42 in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding two spins of the roulette wheel.
44. A gaming apparatus as claimed in claim 43 in which the successful side wager is paid an amount of 200 times the size of the side wager.
45. A gaming apparatus as claimed in any one of claims 31 to 44 in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding three spins of the roulette wheel.

46. A gaming apparatus as claimed in claim 45 in which the successful side wager is paid an amount of 3000 times the size of the side wager.

5 47. A gaming apparatus as claimed in any one of claims 31 to 46 in which the side wager is successful if a same outcome occurs on the particular spin of the roulette wheel and the preceding four spins of the roulette wheel.

10 48. A gaming apparatus as claimed in claim 47 in which the successful side wager is paid the accumulated amount in the pooled jackpot.

15 49. A computer generated message containing data representative of an outcome of a particular spin of a roulette wheel and the success or failure of a side wager on a combined outcome of the particular spin of the roulette wheel and at least one other spin of the roulette wheel.



## INTERNATIONAL SEARCH REPORT

national Application No

rct/18 02/03859

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 A63F5/00 G07F17/32

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A63F G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 313 792 A (BACK TO BACK GAMING) 10 December 1997 (1997-12-10) page 17, line 21 - line 30 claims; figures 1-3,8-12 ---	19-49
A	US 5 775 993 A (FENTZ ET AL.) 7 July 1998 (1998-07-07) column 15, line 44 - line 56; figures ---	19,30,49
A	DE 199 17 678 A (WESTDEUTSCHE SPIELBANKEN GMBH) 2 November 2000 (2000-11-02) the whole document -----	19,30, 31,49

☐ Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

## \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*&amp;\* document member of the same patent family

Date of the actual completion of the international search

11 December 2002

Date of mailing of the international search report

18/12/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Raybould, B



## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/IB 02/03859

### Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 1-18  
because they relate to subject matter not required to be searched by this Authority, namely:  
Rule 39.1(iii) PCT - Scheme, rules and method for playing games
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

### Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

#### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

national Application No

PCT/IB 02/03859

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
GB 2313792	A	10-12-1997	AU	3293697 A	05-01-1998
			WO	9746293 A1	11-12-1997
			US	6059659 A	09-05-2000
US 5775993	A	07-07-1998	AU	711261 B2	07-10-1999
			AU	6583196 A	07-08-1997
DE 19917678	A	02-11-2000	DE	19917678 A1	02-11-2000